

Channel Emissions Framework and Formulae: Digital Extended Version

Phase	Step & s	sub-step	Physical processes involved	Formula type	Scaling factors	Expected materiality		Formulae	Accepted Alternative	Expected data hacks	Comments
CREATION	Tech Manipulation (Multivariant creative)	Creative storage	Additional server storage for multiple volumes of assets for the purpose of distribution.	Digital service overhead	Number and size of assets Storage duration	Low	Number of assets	(size of asset (kB)*time stored (yr) * carbon impact of storage ¹ (kgCO2e/kB/yr) * allocation factor for the campaign ² (%))	-	Not currently using this formula because part of the storage is expected to be accounted for with the server transmission formula of Ad creative delivery phase (this should help with simplification of the process).	Additional storage impacts will be accounted for, however it is expected to be hard to isolate this type of data, therefore a generic formula was derived from the server formula; it is expected to be covered by a global server emission factor. In the future, this could also account for unused assets and multiple storage.
		Creative transcoding	Server processing for multiple volumes of assets for the purpose of	Digital service overhead	-	-		-	-	-	No formulas covers this specific topic. However, for now a tweak has been included
	Ad Space Selection	Creative Selection &	distribution. Planning of creative to go on specific inventory within a marketplace	Corporate overhead	-	-		_	-	-	partially in the Ad Creative Delivery section. Included within corporate emissions overhead.
DISTRIBUTION		Placement Targeting	Digital services used for all targeting activities	Use phase & Embodied	-	-		-	-	-	Whatever targeting activities not reflected in the allocated corporate overhead emissions,
		Direct sale	Exchange of campaign booking between ad buyer and media seller / owner	Use phase & Embodied	-	Low	If a segment of sale: only one	e formula as real-time bidding. inventory is set aside exclusively for direct e activated path to be taken into account unted as programmatic (total number of activated path).	-	-	can be addressed in future updates. Simplified version only accounting for programmatic direct. Corporate emissions accounted for in the global corporate emissions overhead.
	Ad Space Selection	Real-time bidding	Servers processing transmission through automated buying process (SSP/DSP)	Use Phase	Number of impressions Number of paths / number of requests Calculation time Number of impressions Number of paths / number of requests Data transferred by request type	Low to medium	* Avails ratio * (1	* Number of potential active paths per impression ³ + Requests ratio) * (1 + Responses ratio) ⁴ ime of calculation per bid (h) allocated to bid processing (compute used machine-learning) and reporting/analytics ⁵ (%) ant infrastructure power incl. PUE (W) tensity of electricity (kgCO2e/kWh) f other mutualized server resources ratio ⁶)	In case of real data of	Activated paths per impression: can be determined directly or estimated through global number of potential paths x average of activated paths (%). Compute ratio allocated to bid processing (compute used by SSP/DSP incl. machine-learning) and analytics: Dedicated vCPUs share of total infrastructure can be a good proxy as most of infrastructure are distributed and highly virtualized. Infrastructure costs breakdown is also a good lead in case physical data is not available. Time of calculation per bid: Market average likely to be used as this is a highly granular information. Data transferred by request type: Can be estimated with bid request or response size + overhead payload of additional assets.	On-device advertising is also identified as having an impact on Ad Space Selection processing, but however not modelled for now.
				Embodied		Low to medium	* Avails ratio * (1	* Number of potential active paths per impression ³ + Requests ratio) * (1 + Responses ratio) ⁴ ime of calculation per bid (h) allocated to bid processing (compute used machine-learning) and reporting/analytics ⁵ (%) ng and EOL of total relevant infrastructure (kgCO2e) erage lifetime of equipment (s) f other mutualized server resources ratio ⁶)	number of avails, bid requests and bid responses per impression, first part of formula could be overridden: Number of potential active paths per impression * Avails ratio * (1 + Requests ratio) * (1 + Responses ratio) Replaced by:		
			Networks transmission through automated buying process (SSP/DSP)	Use Phase		Low to medium	* Avails ratio * (1 * Data t * Server-to-serve	 * Number of potential active paths per impression³ + Requests ratio) * (1 + Responses ratio)⁴ transferred by request type⁷ (kB) er networks energy efficiency according to ork type and country⁸ (kWh/kB) itensity of electricity (kgCO2e/kWh) 	(Number of avails + Number of bid requests + Number of bid responses)		
				Embodied		Low to medium	Impressions * Avails ratio * (1 * Data to the series of	* Number of potential active paths per impression ³ + Requests ratio) * (1 + Responses ratio) ⁴ transferred by request type ⁷ (kB) ng & EOL amortization networks according k type and country10 (kgCO2e/kB)			
	Ad Creative Delivery	Creative transmission	Ad Servers / CDN edge node processing of ad delivery on display, social, or search	Use phase	Number of impressions Output data transmitted (incl. file size) Share of content delivered locally (CDN)	Medium to high	* \sum_ Number of infrastructures	tal server output data per impression ⁹ (kB) (Breakdown of content delivered by ad servers vs. edge nodes of (%) * datacenter or edge nodes energy of efficiency including PUE (kWh/kB output) * carbon intensity of electricity (kgC02e/kWh)) ¹¹	-	Total server output data per impression / Total data transferred on network per impression: For static format: file size proxy + payload overhead of additional assets For video format: portion of file size loaded (incl. buffer) + payload overhead of additional assets Breakdown of content delivered by ad servers vs. edge nodes: Cache hit ratio of CDN can be a good lead	
				Embodied		Medium to high	* \sum_ Number of infrastructures	(Breakdown of content delivered by ad servers vs. edge nodes¹o (%) * EF manufacturing and EOL) of total relevant infrastructure (kgCO2e) / infrastructure output bandwidth (kB/s) / average lifetime infrastructure equipment(s))¹¹)			Conventional network model for digital networks.
						Medium to high	·	* total data transferred on network per impression ⁹ (kB)			
			Networks transmission of ad delivery from ad server / CDN edge node to user network as display, social, or search	Use phase			* \sumber of network type * \sumber of Number of infrastructures	(consumption breakdown between types of network (%) * energy efficiency according to network type ¹² and country (kWh/kB)) (consumption breakdown between countries of servers/edges nodes ¹⁰ and & users(%) * carbon intensity of electricity (kgCO2e/kWh))			
						Medium to high	Impressions	s * total data transferred on network per impression ⁹ (kB)			
				Embodied			* \(\sum_{\text{Number of }} \) Network type	(consumption breakdown between types of network (%) * EF manufacturing & EOL amortization networks according to network type ¹² and country (kgCO2e/kB)") ¹¹)			
CONSUMPTION	Device Display	User device Ioad	Download / stream of creative to the user device. Includes embodied emissions of devices.	Use phase	Data transferred (incl. file size) Device type	Low		Data transferred per impression ¹³ (kB) ed breakdown by country and by network type (kB/s)	Not using this formula yet (see opposite). Load and render power of devices are expected not to be available, therefore the alternative is to account for full device power and lifecycle and not separate those two phases. Replace: Device render power consumption By: Device total power consumption Replace: EF manufacturing & and EOL amortization of devices, share of render By: EF manufacturing & and EOL total amortization of devices Use full device power in the formula. Use full device EF in the formula. Total active used time over lifetime by device type is the result of daily use x lifetime		te). Time to load (s) is determined by the first two parameters. Short time is expected therefore materiality is expected to be low. However, it might become more material in time with on-device advertising is also identified as having a growing impact on loading, but not modelized yet, and it also
							* ∑ Devices¹5	(Device mix by type and country (%) * Device power consumption to maintain active connection ¹⁴ (W) * time conversion ratio (h/s) * carbon intensity of electricity (kgCO2e/kWh))		Not using this formula yet (see opposite).	
				Embodied		Low		Data transferred per impression ¹³ (kB) ed breakdown by country and by network type (kB/s) (Device mix by type and country (%) * EF manufacturing & and EOL		Not using this formula yet (see opposite).	
							* ∑ Devices ¹⁵	* EF manufacturing & and EOL amortization of devices, share of connectivity ¹⁴ (kgCO2e/unit) / total active used time over lifetime by device type (s of active use over full lifetime)))			
		User device render	Render and display of creative on the user device. Includes embodied emissions of devices.	Use phase	Time displayed Device type	High	* \sum_ Devices^{15}	me displayed on device per impression(s) (Device mix by type and country (%) * Device render power consumption ¹⁴ (W) * time conversion ratio (h/s) * carbon intensity of electricity (kgCO2e/kWh))		Use full device power in the formula.	
				Embodied		High	Impressions *Tir * \(\sum_{\text{Devices}^{15}} \)	me displayed on device per impression(s) (Device mix by type and country (%) * EF manufacturing & and EOL amortization of devices, share of render ¹⁴ (kgCO2e/unit) / total active used time over lifetime by device type (s of active use over full			
ALL		porate s overhead	Allocated organizational emissions attributed to the specific campaign across ALL entities in the campaign value chain.	Corporate overhead	Campaign revenue	High	Number of entities	Total relevant annual corporate emissions (kgCO2e) * allocation factor for the campaign	-	in years.	Every organisation in the value chain should be reporting their verified enterprise GHG emissions inventory annually to ensure reasonable data quality at the enterprise level. More guidance will follow on this in the next update of the GMSF.

Key



Footnotes for Digital

Tech Manipulation:

¹Servers impact (that can be split by lifecycle phase) based on server type, efficiency and location (simplified formula).

²Storage of creative is likely to happen across multiple campaigns, therefore an allocation factor for the specific campaign being measured is needed and may be calculated as a percentage (%) either of revenue of the campaign / total revenue of the entity or campaign volume (e.g. impressions) / volume of all campaigns where the assets were used.

Ad Space Selection (Real-time bidding):

³A potential path is a server-to-server-to-server link (e.g. exchange of request) between different nodes of the programmatic actors (publisher, SSPs, DSPs...). Not all potential paths are activated at each impression (note: ads.txt only accounts for some potential paths).

⁴Activated paths are a way to estimate number of real requests transmitted, after all optimisation processes, such as SPO and bid throttling, are implemented. These ultimately allow us to account for the impacts of servers and networks. To account for all these filtering and optimisation techniques and avoid overestimating requests, 3 ratios are used to represent the avails, requests, and responses. However, if actual data on requests number is available, previous assumptions can be overridden to work with the absolute number of avails, requests, and responses per impression.

⁵Portion of physical resources dedicated to bid processing, reporting, machine learning, analytics... is a share of total compute power. Dedicated CPUs or costs are a good lead.

⁶Modelising additional mutualised infrastructure resources for other services and development activities. Value of the overhead will have to be determined in the data working group.

⁷Taking into account different sizes for avails, bid requests and bid responses (including all transferred assets).

⁸A substantial share of the requests can be treated within private networks, and all requests are server-to-server links (e.g. fixed networks).

Ad Creative Delivery:

- ⁹ Ideally taking into account both:
- Real size of creative file transferred: file size depending on factors including user device / screen size, network quality, etc.
- Additional assets transmission: scripts...

¹⁰ Popular contents with the local host's user base are temporarily cached on edge nodes, therefore delivered from a local data centre-like infrastructure (impact on carbon intensity of electricity). Country could usually be assumed to be the same as the user.

¹¹Sigma to account for different environmental performances of ad servers and edge nodes, as well as location for use phase and computing power for embodied emissions (different server models / configuration end in different emissions).

¹²Accounting for different performances of networks (e.g. fixed vs mobile, global vs local), as well as country. Edge nodes / CDN also allow to win on the network part (local delivery).

Consumption:

13 Ideally taking into account both:

- Real size of creative file transferred: file size depending on user device / screen size, buffer settings, network quality...
- Additional assets transmission: scripts...

¹⁴Additional studies are needed to fully model the difference of screen power (render) vs. active connection (load) so it is expected to be modelled globally.

¹⁵Devices list to be covered: any type of terminal that loads and / or displays digital ad creative content (laptops, tablets, smartphones, TVs...)